

South African Journal of Chemistry Volume 32 1979

Suid-Afrikaanse Tydskrif vir Chemie Volume 32 1979

Author Index

*An asterisk denotes the author to whom all correspondence should be addressed.

- BOEYENS, J.C.A., HANCOCK, R.D., & McDOUGALL, G.J.*
Empirical force-field calculations of strain-energy contributions to the thermodynamics of complex formation. Part II. Further calculations on five- and six-membered rings 23—26
- BRITS, R.J.N.* & DE WET, W.J.
Preparation of reference powders for neutron activation analysis 164—168
- BULL, J.R.**, CHALMERS, A.A., & COLEMAN, P.C.
Steroidal analogues of unnatural configuration. Part 15. Carbon-13 nuclear magnetic resonance spectroscopy of cucurbitacins A, B, C, and E, and derived compounds 27—33
- BULL, J.R. & TUINMAN, A.*
A novel method for the cleavage of the bile acid side chain 17—22
- CHALMERS, A.A. *see* BULL, J.R. 27—33
- CHURMS, S.C.**, MERRIFIELD, E.H., MILLER, C.L., & STEPHEN, A.M.
Some new aspects of the molecular structure of the polysaccharide gum from *Acacia saligna* (syn. *cyanophylla*) 103—106
- COLEMAN, P.C. *see* BULL, J.R. 27—33
- CRAGG, G.M.L.
Synthesis of vicinal steroidal diamines: 2 β ,3 β -diamino-5 α -cholestane and 2 α ,3 β -diamino-5 α -cholestane 93—96
- CRAGG, G.M.L., McCALLUM, P.A., NASSIMBENI, L.R.**, RODGERS, A.L., & VAN NIEKERK, J.C.
Crystal and molecular structures of two tosylamidocholestanes, 3 β -toluene-*p*-sulphonamido-5 α -cholestan-2 β -ol and 3 β -azido-2 α -toluene-*p*-sulphonamido-5 α -cholestane 97—102
- DEKKER, J., MARTINS, F.J.C.**, VILJOEN, A.M., & WESSELS, P.L.
Alcoholysis reactions of the C₄-photodimers of 2-chloro- and 2-bromo-1,4-naphthoquinone 111—113
- DEKKER, T.G.* & OLIVER, D.W.
Synthesis of (D₃)-trishomocuban-4-ol via carbenium ion rearrangement of pentacyclo[5.4.0.0^{2,6}.0^{3,10}.0^{5,9}]undecan-8-ol 45—48
- DE WET, W.J. *see* BRITS, R.J.N. 164—168
- DREWES, S.E.* & UPFOLD, U.J.
2-Amino-2-methylpropan-1-ol salts of carboxylic acids 35—36
- DU PLESSIS, J.A.K.* & DU TOIT, C.J.
Homogeengekataliseerde siklisering van asetileen (Homogeneous catalysis in the cyclization of acetylene) 147—150

Register van Outeurs

*Die outeur aan wie alle korrespondensie gerig moet word, word met 'n sterretjie aangedui.

- DU PLESSIS, J.A.K.* & HEENOP, P.J.
Die invloed van tetrakis(trifenielfosfiet)nikkel(0) op die metatesereaksies van 'n okt-1-ene-wolframheksachloried-etiellaluminiumdichloriedsisteem (The influence of tetrakis(triphenyl phosphite)nickel(0) on the metathesis reaction of an oct-1-ene-tungsten hexachloride-ethylaluminium dichloride system) 1—6
- DU PLESSIS, J.A.K.* & HEENOP, P.J.
Etiellaluminiumdichloried-tetrakis(trifenielfosfiet)nikkel(0) as isomerisasiekatalisator van olefiene (Ethylaluminium dichloride-tetrakis(triphenyl phosphite)nickel(0) as isomerization catalyst of olefins) 115—118
- DU PREEZ, J.G.H. *see* ENGLISH, R.B. 119—125
- DU TOIT, C.J. *see* DU PLESSIS, J.A.K. 147—150
- ENGLISH, R.B., DU PREEZ, J.G.H.**, NASSIMBENI, L.R., & VAN VUUREN
Structure and solution behaviour of Th(NO₃)₄ · 2,67 tdpo: bis(trinitratotetrakis(tris(dimethylamido)phosphine)oxide thorium)hexanitratothorate 119—125
- FAZAKERLEY, G.V.* & REID, D.G.
An investigation of the structure of the complexes formed between bleomycin and copper(II) and gadolinium(III) paramagnetic ion probes by nuclear magnetic resonance spectroscopy 89—92
- FOURIE, J. & MCGILL, W.J.*
Thermal degradation of films of poly(methyl acrylate) in vacuum, oxygen, and nitrogen 63—71
- FOURIE, J. & MCGILL, W.J.*
Photothermal degradation of films of poly(methyl acrylate) in vacuum 156—160
- FOURIE, J. & MCGILL, W.J.*
Thermal degradation of poly(n-butyl acrylate) in vacuum and in oxygen 161—163
- GILES, R.G.F. *see* NASSIMBENI, L.R. 177—181
- GILES, R.G.F.**, MITCHELL, P.R.K., & ROOS, G.H.P.
Alkylation of quinones. Formation of cyclopropyl-1,4-naphthoquinones and related compounds 131—134
- GILES, R.G.F., NASSIMBENI, L.R., & VAN NIEKERK, J.C.*
Comparison of the crystallographically determined resonance hybrids of 2,5-bispyrrolidino- and 2,5-bispiperidino-1,4-benzoquinones 107—110
- GILES, R.G.F.**, REUBEN, M.K., & ROOS, G.H.P.
A quinonoid naphthopyranone as a model for the synthesis of the pigment xylindrin. Photochemical formation of the lactone ring 127—129
- GONSALVES, J.W. & STEENKAMP, P.J.*
Molecular orbital treatment of electronic transitions in penta-coordinated high-spin cobalt(II) chromophores 7—12

GOOSEN, A. N-Haloamides and amido-radicals	37—44	NIVEN, M.L. & THORNTON, D.A.* Infrared spectra of quinoline adducts of transition metal(II) acetylacetonates	135—136
GOOSEN, A.*, JONES, J., LAUE, H.A.H., MAASDORP, A.P.B., & McCLELAND, C.W. Reaction of alcohols containing vicinal ether substituents with mercury(II) oxide and iodine	182—186	OLIVER, D.W. <i>see</i> DEKKER, T.G.	45—48
HANCOCK, R.D. Formation constants of silver(I)-ammonia complexes, and of the ammonium ion, at high free-ammonia concentrations	49—51	PAPAPHILIPPOU, A.P. <i>see</i> PEGEL, K.H.	187—189
HANCOCK, R.D. <i>see</i> BOEYENS, J.C.A.	23—26	PEGEL, K.H.* & PAPAPHILIPPOU, A.P. Influence of structural modification on the yield of glucosides from 2-hydroxyperhydrophenanthroids	187—189
HEENOP, P.J. <i>see</i> DU PLESSIS, J.A.K.	1—6	PRETORIUS, J.A. <i>see</i> JORDAAN, J.H.	173—176
HEENOP, P.J. <i>see</i> DU PLESSIS, J.A.K.	115—118	REID, D.G. <i>see</i> FAZAKERLEY, G.V.	89—92
IRVING, H.M.N.H. <i>see</i> VAN NIEKERK, J.C.	85—88	REUBEN, M.K. <i>see</i> GILES, R.G.F.	127—129
JONES, J. <i>see</i> GOOSEN, A.	182—186	RIVETT, D.E.A. <i>see</i> KRUGER, G.J.	59—62
JORDAAN, J.H., NIEUWENHUIS, J.J. & PRETORIUS, J.A.* Synthesis and crystal structure of 1,4,6-tri-O-acetyl-3-O-1'(R)-C-carboxyethyl-β-D-glucose 2',2-lactone	173—176	RODGERS, A.L. <i>see</i> CRAGG, G.M.L.	97—102
JOUBERT, F.J.* & TALJAARD, N. Complete primary structure of toxin CM-1C from <i>Hemachatus haemachatus</i> (Ringhals) venom	73—77	ROOS, G.H.P. <i>see</i> GILES, R.G.F.	127—129
JOUBERT, F.J.* & TALJAARD, N. Complete primary structure of toxin S ₆ C ₄ from <i>Dendroaspis jamesoni kaimosae</i> (Jameson's mamba)	151—155	ROOS, G.H.P. <i>see</i> GILES, R.G.F.	131—134
KRUGER, G.J.* & RIVETT, D.E.A. Diterpenoids of <i>Leonitis</i> species. Part 6. The crystal and molecular structure of leonitin, a 9,13-epoxylabdane	59—62	SCOTT, G. The role of antioxidants in polymer conservation	137—147
LAUE, H.A.H. <i>see</i> GOOSEN, A.	182—186	STANDER, C.M. A model for interstitial diffusion in magnesium hydride	79—82
MAASDORP, A.P.B. <i>see</i> GOOSEN, A.	182—186	STEENKAMP, P.J. <i>see</i> GONSALVES, J.W.	7—12
MARTINS, F.J.C., <i>see</i> DEKKER, J.	111—113	STEPHEN, A.M. <i>see</i> CHURMS, S.C.	103—106
McCALLUM, P.A. <i>see</i> CRAGG, G.M.L.	97—102	STRELOW, F.W.E.* & VAN DER WALT, T.N. Separation of indium from iron(III) and other elements by cation exchange chromatography in hydrobromic acid-acetone: application to separation of indium-111 from cyclotron-irradiated silver targets	13—15
McCLELAND, C.W. <i>see</i> GOOSEN, A.	182—186	STRELOW, F.W.E.* & VAN DER WALT, T.N. Accurate determination of trace amounts of uranium in rocks by spectrophotometry with chlorophosphonazo III after separation by anion exchange chromatography	169—172
McDOUGALL, G.J. <i>see</i> BOEYENS, J.C.A.	23—26	SZENDREI, T. & VAN BERGE, P.C.* Inhibition of magnetite reduction by high-valence impurity cations: implications for a general mechanism for the control of reduction rate by lattice point defects	53—57
McGILL, W.J. <i>see</i> FOURIE, J.	63—71	TALJAARD, N. <i>see</i> JOUBERT, F.J.	73—77
McGILL, W.J. <i>see</i> FOURIE, J.	156—160	TALJAARD, N. <i>see</i> JOUBERT, F.J.	151—155
McGILL, W.J. <i>see</i> FOURIE, J.	161—163	THORNTON, D.A. <i>see</i> NIVEN, M.L.	135—136
MERRIFIELD, E.H. <i>see</i> CHURMS, S.C.	103—106	TUINMAN, A. <i>see</i> BULL, J.R.	17—22
MILLER, C.L. <i>see</i> CHURMS, S.C.	103—106	UPFOLD, U.J. <i>see</i> DREWES, S.E.	35—36
MITCHELL, P.R.K. <i>see</i> GILES, R.G.F.	131—134	VAN BERGE, P.C. <i>see</i> SZENDREI, T.	53—57
MITCHELL, P.R.K. <i>see</i> NASSIMBENI, L.R.	177—181	VAN DER WALT, T.N. <i>see</i> STRELOW, F.W.E.	13—15
NASSIMBENI, L.R. <i>see</i> VAN NIEKERK, J.C.	85—88	VAN DER WALT, T.N. <i>see</i> STRELOW, F.W.E.	169—172
NASSIMBENI, L.R. <i>see</i> CRAGG, G.M.L.	97—102	VAN NIEKERK, J.C.*, IRVING, H.M.N.H., & NASSIMBENI, L.R. Crystal structure of bis(2-methyl-8-hydroxyquinolino)-beryllium(II) dihydrate	85—88
NASSIMBENI, L.R. <i>see</i> GILES, R.G.F.	107—110	VAN NIEKERK, J.C. <i>see</i> CRAGG, G.M.L.	97—102
NASSIMBENI, L.R. <i>see</i> ENGLISH, R.B.	119—125	VAN NIEKERK, J.C. <i>see</i> GILES, R.G.F.	107—110
NASSIMBENI, L.R.* & WRIGHT, M.R.W., GILES, R.G.F. & MITCHELL, P.R.K. Crystal structure and molecular conformation of 2,3-dicyclopropyl-1,4-naphthoquinone	177—181	VAN VUUREN, C.P.J. <i>see</i> ENGLISH, R.B.	119—125
NIEUWENHUIS, J.J. <i>see</i> JORDAAN, J.H.	173—176	VILJOEN, A.M. <i>see</i> DEKKER, J.	111—113
		WESSELS, P.L. <i>see</i> DEKKER, J.	111—113
		WRIGHT, M.R.W. <i>see</i> NASSIMBENI, L.R.	177—181

